SAFETY DATA SHEET EASY CLEAN System - Part A

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME EASY CLEAN System
APPLICATION Cleaning agent.
PRODUCT NO. 9050506

SUPPLIER Colenta Labortechnik GmbH & CO KG

Neunkirchner Straße 117 A-2700 Wiener Neustadt

Austria

Tel: 0043 2622 28311 0 Fax: 0043 2622 28311-7 Email: office@colenta.at

2 HAZARDS IDENTIFICATION

CLASSIFICATION (1999/45) Xi;R36/38.

CLASSIFICATION (EC 1272/2008)

Physical and Chemical Hazards Not classified.

Human health Skin Irrit. 2 - H315;Eye Irrit. 2 - H319

Environment Not classified.

LABEL IN ACCORDANCE WITH (EC) NO. 1272/2008



SIGNAL WORD Warning

HAZARD STATEMENTS

H315 Causes skin irritation.

H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/attention.

SUPPLEMENTARY PRECAUTIONARY STATEMENTS

P264 Wash contaminated skin thoroughly after handling.
P321 Specific treatment (see medical advice on this label).
P302+352 IF ON SKIN: Wash with plenty of soap and water.
P332+313 If skin irritation occurs: Get medical advice/attention.

P337 If eye irritation persists:

P362 Take off contaminated clothing and wash before reuse.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Hexyl D-Glucoside 1-5%

CAS-No.: 54549-24-5 EC No.:

Classification (EC 1272/2008)
Eye Dam. 1 - H318
Classification (67/548/EEC)
Xi;R41.

EASY CLEAN System - Part A

| Sulphuric Acid | | | 10-30% |
|---|-------------------|---------------------------------------|--------|
| CAS-No.: 7664-93-9 | EC No.: 231-639-5 | | |
| Classification (EC 1272/2008) Skin Corr. 1A - H314 | | Classification (67/548/EEC) C;R35. | |

The Full Text for all R-Phrases and Hazard Statements is Displayed in Section 16

4 FIRST-AID MEASURES

GENERAL INFORMATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INHALATION

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues. INGESTION

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Remove victim immediately from source of exposure. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Get medical attention. Provide rest, warmth and fresh air.

SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Rinse the skin immediately with lots of water. Get medical attention if irritation persists after washing.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

ENGINEERING MEASURES

No particular ventilation requirements.

RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

HAND PROTECTION

Use protective gloves made of: Butyl rubber. Rubber (natural, latex). Neoprene. Nitrile. Polyethylene. Polyvinyl chloride (PVC). P.T.F.E (Teflon). Viton rubber (fluor rubber). or Polyethylene/Ethylene Vinyl Alcohol (PE/EVAL).

EYE PROTECTION

Use approved safety goggles or face shield.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Liquid

COLOUR Colourless.

ODOUR Slight odour.

RELATIVE DENSITY 1.140 @ 20 °c

EASY CLEAN System - Part A

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Not relevant

HAZARDOUS DECOMPOSITION PRODUCTS

No specific hazardous decomposition products noted.

11 TOXICOLOGICAL INFORMATION

INHALATION

May cause irritation to the respiratory system.

INGESTION

May cause discomfort if swallowed. Burning sensation in mouth. May cause stomach pain or vomiting.

SKIN CONTACT

Irritating to skin.

EYE CONTACT

Irritating to eyes. Irritation, burning, lachrymation, blurred vision after liquid splash.

HEALTH WARNINGS

Irritation of nose, throat and airway. Tearing eyes. Smarting in mouth and throat.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA,

ADR/RID).

No transport warning sign required.

ENVIRONMENTALLY

HAZARDOUS SUBSTANCE/MARINE

POLLUTANT

No.

15 REGULATORY INFORMATION

ENVIRONMENTAL LISTING

Rivers (Prevention of Pollution) Act 1961. Control of Pollution (Special Waste Regulations) Act 1980.

EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EC. Dangerous Preparations Directive 1999/45/EC.

STATUTORY INSTRUMENTS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Control of Substances Hazardous to Health.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

16 OTHER INFORMATION

INFORMATION SOURCES

Dangerous Properties of Industrial Materials Report, N.Sax et.al.

REVISION COMMENTS

This issue supercedes all previous versions.

EASY CLEAN System - Part A

SAFETY DATA SHEET STATUS

Approved.

DATE 01/04/2012 SIGNATURE AJ Edgar

RISK PHRASES IN FULL

R35 Causes severe burns.
R36/38 Irritating to eyes and skin.
R41 Risk of serious damage to eyes.

HAZARD STATEMENTS IN FULL

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.